

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7057	transformer and (negative with impedanc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 08:11
L2	2756	1 and (current with (equaliz\$3 or equal\$3 or balanc\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 08:19
L3	2224	2 and (lamp or load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 08:14
L4	322	3 and (plurality with (lamp or load\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 08:19
L5	316	4 and (parallel or series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 08:15
L6	256	4 and (parallel and series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 08:19
L7	22	(Geert with veen).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 08:17
L8	5	7 and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 08:17

## EAST Search History

L9	581	1 and (current with (equaliz\$3 or equal\$3 or balanc\$3) with transformer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 08:19
L10	103	9 and (plurality with (lamp or load\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 08:19
L11	84	10 and (parallel and series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:01
L12	51	11 and ((voltag\$3 and current) with (equal\$3 or equaliz\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:04
L13	2	"20040155596"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:04
L14	1	13 and ((voltag\$3 and current) with (equal\$3 or equaliz\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:17
L15	1	13 and ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:17